



Child screenings and immunizations



Be healthy, stay healthy

To help your children stay healthy, it's important that they receive immunizations and have the proper screenings according to their health care provider's recommendations. The guidelines here are a general reference only. Always discuss your child's particular preventive care needs with the health care provider. Use these charts to record your children's immunizations and screenings.

 Birth to 2 years	MONTH											
	2	4	6	8	10	12	14	16	18	20	22	24
Baby Wellness Exam In addition to general advice on your baby's health and development, your baby should have an exam and may receive the following immunizations and screenings, depending on the health care provider's recommendations.	○	○	○	○	○	○	○	○	○	○		○
Immunizations												
Diphtheria, tetanus and acellular pertussis (DTaP)		○	○	○				○	○			
Haemophilus influenzae b (Hib)		○	○	○			○	○				
Hepatitis A Vaccination to be completed according to the licensed schedules and integrated into the routine childhood and adolescent vaccination schedule. Two doses in the series should be administered at least six months apart. Children not vaccinated by age two can be vaccinated at subsequent visits.						○	○	○	○	○		
Hepatitis B virus (HBV)	○	○	○			○	○	○	○			
Measles-mumps-rubella (MMR)						○	○					
Pneumococcal conjugate (PCV)		○	○	○			○	○				
Poliovirus (IPV)		○	○			○	○	○	○			
Varicella (chickenpox)							○	○	○			
Influenza vaccine				○					○			
Rotavirus (RV)		○	○									
Screenings												
Hearing exam	Newborn and as child's doctor advises											
Hemoglobin or hematocrit (Hgb/Hct)						○	○					
Weight, length and head circumference	At each visit											
Evaluate for deficient fluoride in drinking water and prescribe fluoride	If necessary											



A UnitedHealthcare Company

Ages 3-10

	YEAR							
	3	4	5	6	7	8	9	10
Child Wellness Exam You should receive advice about your child's safety, health and development. In addition, during this exam your child may receive the following immunizations and screenings, depending on the health care provider's recommendations.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
Immunizations								
Diphtheria, tetanus and acellular pertussis (DTaP)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
Hepatitis B virus (HBV): if not previously immunized	<input type="checkbox"/>			<input type="checkbox"/>				<input type="checkbox"/>
Measles-mumps-rubella (MMR): if not previously immunized		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
Poliovirus (IPV)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
Varicella (chickenpox)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
A second dose of varicella	May be given to persons in outbreak situations							
Influenza vaccine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hepatitis A	If not previously immunized or initial series not completed.							
Screenings								
Blood pressure	At each visit							
Eye exam: or as child's doctor advises	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
Hearing exam: or as child's doctor advises		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
Height and Weight	At each visit							
Selective cholesterol screening	Of children and adolescents at risk (due to family history)							

Ages 11-18

	YEAR							
	11	12	13	14	15	16	17	18
Young Adult Wellness Exam During this exam your child may receive the following immunizations and screenings, depending on the health care provider's recommendations.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Immunizations								
Hepatitis B virus (HBV): if not previously immunized				<input type="checkbox"/>				<input type="checkbox"/>
Measles-mumps-rubella (MMR): if not previously immunized (2 doses)	<input type="checkbox"/>	<input type="checkbox"/>						
Tetanus, diphtheria, acellular pertussis (Tdap)*	<input type="checkbox"/>	<input type="checkbox"/>						
Varicella (chickenpox): If no evidence of prior immunization or chickenpox				<input type="checkbox"/>				<input type="checkbox"/>
	Varicella Series							
Meningococcal - new conjugate meningococcal vaccine (MCV4) Administer at age 11 or 12 years, or at age 13 through 18 years if not previously vaccinated. Administer to previously unvaccinated college freshmen living in a dormitory.	<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>
Human papillomavirus (HPV): if not previously immunized (3 doses)	<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>
Influenza vaccine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Screenings								
Blood pressure	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Eye exam: or as child's doctor advises		<input type="checkbox"/>			<input type="checkbox"/>			<input type="checkbox"/>
Hearing exam: or as child's doctor advises		<input type="checkbox"/>			<input type="checkbox"/>			<input type="checkbox"/>
Height and Weight	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

*Administer at age 11-12 for those who completed the recommended childhood series and have not received a tetanus and diphtheria (Td) booster dose since then. For 13-18 year olds who missed the 11-12 year dose, a DTaP should be given within five years of the last childhood DTaP vaccine.